G-T-TSDF

RCRA INTERIM STATUS INSPECTION FORM

PART 1. GENERAL INFORMATION	US EPA RECORDS CENTER REGION 5 453359	U.S. EPA I.D. # OH DXX0723601			
Facility: Manfield Produ	et Co. Address: 246 East Fourth St	City: Wanshell			
	Zip Code: 44902 County: Richland INSPECTION PARTICIPANTS(S)				
1. BILL WOOD 2.		(Telephone) 			
1. KEUN CLOU	INSPECTOR(S) ENU. SCIENTIST				
	X INSTALLATION ACTIVITY				
Mark One If the site is a TSDF, check the boxes indicating which regulations are applicable					
Generator only (G) Transporter (T)	General Facility Standards, Preparedness and Prevention, Contingency and Emergency Manifests/Records/Reporting, Closure	Waste Piles S03 Land Treatment D81			
TSDF only	Containers SO1	Landfills D80			
G-T	Tanks S02/T01 Surface Impoundments S04/T02	Chemical/Physical/ Biological TO4			
G-TSDF T-TSDF	Incineration/Thermal Treatment	Groundwater Monitoring			

Post-Closure

RCRA INTERIM STATUS INSPECTION FORM

Remark #

N/A

		그는 사람들은 사람들이 되었다. 그는 사람들은 사람들이 되었다면 하는 사람들이 되었다. 그는 사람들은 사람들이 되었다면 하는 사람들이 되었다.	
5.	The	generator meets the following hazardous waste pre-transport requirements:	Doos W
	a)	Prior to offering hazardous wastes for transport off-site the waste material is packaged, labeled and marked in accord with applicable DOT regulations (Section 262.30, 262.31 and 262.32(a))	BASELS WA
	b)	Prior to offering hazardous wastes for transport off-site each container with a capacity of 110 gallons (416 liters) or less is affixed with a completed hazardous waste label as required by Section 262.32(b).	CHRCK
	c)	The generator meets requirements for properly placarding or offering to properly placard the initial transporter of the waste material in compliance with Section 262.33.	
6.		zardous wastes imported from or exported to foreign countries are handled accordance with the requirements of Section 262.50.	
7.	tar	the generator elects to store hazardous waste on-site in <u>containers</u> or . nks for <u>90 days</u> or less without a RCRA storage permit as provided under ction 262.34, the following requirements with respect to such storage are met:	

all terialists

a) The containers are clearly marked with the words "Hazardous Waste".

9. The generator keeps all of the records required by Section 265.16(d)(e) including written job titles, job descriptions and documented employee

training records (Section 262.34).


b) The date that accumulation began is clearly marked on each container.

The generator has provided a Personnel Training Program in compliance with Section 265.16(a)(b)(c) including instruction in safe equipment operation and emergency response procedures, training new employees within 6 months and providing an annual training program refresher course (Section 262.34).

RCRA INTERIM STATUS INSPECTION FORM

Subpart C: Preparedness and Prevention

- 1. Has there been a fire, explosion or non-planned release of hazardous waste at this facility? (265.31)
- 2. If required due to actual hazards associated with the waste material, the facility has the following equipment: (265.32)
 - a) Internal alarm system.
 - b) Access to telephone, radio or other device for summoning emergency assistance.
 - c) Portable fire control equipment.
 - d) Water at adequate volume and pressure via hoses sprinkler, foamers or sprayers.
- 3. All required safety, fire and communications equipment is tested and maintained as necessary; testing and maintenance are documented. (265.33)
- 4. If required due to the actual hazards associated with the waste material, personnel have immediate access to an emergency communication device during times when hazardous waste is being physically handled. (265.34)
- 5. If required due to the actual hazards associated with the waste material, adequate aisle space to allow unobstructed movement or emergency or spill control equipment is maintained. (265.35)
- 6. If required due to the actual hazards associated with the waste material, the facility has attempted to make appropriate arrangements with local emergency service authorities to familiarize them with the possible hazards and the facility layout. (265.37(a)
- Where state or local emergency service authorities have declined to enter into any proposed special arrangements or agreements the refusal has been documented. (265.37(b)



RCRA INTERIM STATUS INSPECTION FORM

PART 5. TREATMENT/STORAGE/DISPOSAL

SUBPARTS INCLUDED

I: Management of Containers

L: Waste Piles

0: Incinerators

J: Management of Tanks

M: Land Treatment

P: Thermal Treatment

K: Surface Impoundments

N: Landfills

Q: Chemical/Physical/Biological Treatment

Subpart I: Management of Containers

- 1. Hazardous wastes are stored in containers which are:
 - a) Closed (265.173)
 - b) In good physical condition (265.171)
 - c) Compatible with the wastes stored in them (265.172)
- Containers are stored closed except when it is necessary to add or remove wastes. (265.173(a))
- 3. Hazardous waste containers are not stored, handled or opened in a manner which may rupture the container or cause it to leak. (265.173(b))
- 4. The area where containers are stored is inspected for evidence of leaks or corrosion at least weekly and such inspections are documented. (265.174)
- 5. Containers holding Ignitable or Reactive waste(s) are located at least 50 feet (15 meters) from the property line and the general requirements for handling such wastes in Section 265.17 (physical separation, signs and safety) are met (265.176).
- 6. Containers holding hazardous wastes are never stored near other materials which may interact with the waste in a hazardous manner. (265.177(c)

Ye s	<u>No</u>	N/A	Remark #
	/ .		
$\frac{\mathcal{V}}{\mathcal{V}}$	/		
		·	
1/			A Fin
yana .	_	<i></i>	Some Cather
;	كلر		
1/			
		<u>_V</u>	/
	1		